

TITAN[®]

PROFESSIONAL TOOLS

Catalog

2022






7 Piece SAE Short Arm Hex Key Set

Keys are constructed from high quality alloy steel with a black oxide finish. Includes plastic organizer with size markings.

Part #	Size(s)	UPC	MP	IP
12727	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, and 3/16 in.	802090127274	48	12



25 Piece SAE/Metric Hex Key Set

Set includes both SAE and Metric sizes. Constructed from heat treated carbon steel with black oxide finish. Pivot style holder release feature allows for removal of any key without interference of adjacent keys.

Part #	Size(s)	UPC	MP	IP
12712	SAE: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8 in. Metric: 1.27, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8 and 10 mm	802090127120	24	6



39 Piece Star and Hex Key Set

Set includes 25 SAE and Metric hex keys, and 14 star keys. Keys are constructed from carbon steel with a black oxide finish. Includes color coded folding storage racks.

Part #	Size(s)	UPC	MP	IP
12739	(12) SAE hex keys: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, and 3/8 inch (14) Star keys: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, and T55 (13) Metric hex keys: 1.27, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, and 10 mm (3) 3/8 in. shank hex bits: 5/16, 3/8, and 7/16 inch (2) Drive bit holders: 1/4 and 3/8 inch	802090127397	15	5



4 Piece Screwdriver Handle Pry Bar Set

TPR soft grip handles. Chrome vanadium steel shafts with sand satin finish. Includes: 8, 12, 18, and 24 inch.

Part #	UPC	MP	IP
17102	802090171024	5	1



8 Piece 3/8" Drive 12PT Spline Drive Socket Sets

Chrome vanadium construction. Fits a variety of fasteners: 12 pt., Torx, 6 pt., Square and damaged Precise, radial spline teeth engage over a wider area minimizing stress and allow application of high torque without damage to fastener or tool. Includes socket holder.

Size	UPC	MP	
15203	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, and 3/4 inch	802090152030	24
15202	8, 10, 12, 13, 14, 17, 18, and 19 mm	802090152023	24



1/4" Drive Aluminum Swivel Head Micro Ratchets

Colorful Anodized Aluminum Handle. Detent ball holds sockets securely in place. 90-Tooth with reversible head. 4-degree sweep. Knurled Grip. Overall Length: 4 inches. Packed in Try-me™ blister.

Part #	Size (in.)	UPC	MP	IP
11316	Blue	802090113161	72	12
11320	Red	802090113208	72	12
11322	Orange			
11324	Green			



1/4" Hex Drive Aluminum Swivel Head Micro Bit Drivers

Colorful Anodized Aluminum Handle. Detent ball holds sockets securely in place. Magnetic bit retention holds PH2 bit (included) in place. 90-Tooth with reversible head. 4-degree sweep. Knurled Grip. Overall Length: 4 inches. Packed in Try-me™ blister.

Part #	Size (in.)
11317	Blue
11321	Red
11323	Orange
11325	Green



Quick Read Tape Measures

Easy, quick-read markings. Tough, impact resistant plastic case. Ergonomic cushion grips for maximum comfort. Hands-free blade lock.

Part #	Size	UPC	MP	IP	MP	IP
10904	12' x 5/8"	802090109041	48	6		
10905	16' x 3/4"	802090109058	48	6	72	12
10906	25' x 1"	802090109065	36	6	72	12
10907	25' x 1" Dual Rule	802090109072	36	6	72	12
10908	33' x 1"	802090109089	24	6		



3 Piece Scraper and Putty Set

1-1/4 and 3 in. Putty Knives - Flexible stainless steel blades for easier application of fillers and putties. 1-1/4 in. Scraper - Rigid stainless steel Go-Thru blade with metal capped handle for strength and durability. All tools feature comfortable TPR handles for maximum grip.

Part #	UPC	MP	IP
17000	802090170003	12	6



63020



63233



63004



63308



63000



63216

Hammers

Comfortable, textured handles for handling ease

Part #	Description	UPC	MP	IP
63020	Claw Hammer 16 oz	802090630200	36	6
63004	Cross Pein Hammer 3 lb	802090630040	12	6
63000	Engineer Hammer 3 lb	802090630002	12	6
63233	Stoning Hammer 2.5 lb	802090632334	12	6
63308	Ball Pein Hammer 8 oz	802090633089	36	6
63312	Ball Pein Hammer 12 oz	802090633126	36	6
63316	Ball Pein Hammer 16 oz	802090633164	36	6
63016	Ball Pein Hammer 24 oz	802090630163	24	6
63024	Ball Pein Hammer 32 oz	802090630248	24	6
63216	Brass Non-Sparking Hammer 2 lb	802090632167	24	6
63040	Brass Non-Sparking Hammer 3 lb	802090630408	12	6



10 Piece 1/4" Drive 6PT Socket Sets

Durable, precise fitting sockets. Chrome vanadium steel construction. Mirror polish finish. Sizes stamped for easy identification.

Part #	Description	UPC	MP	IP
66002	10 Piece 1/4" Drive 6PT SAE Standard Socket Set	802090660023	24	6
66202	10 Piece 1/4" Drive 6PT Metric Standard Socket Set	802090662027	24	6
Part #	Description	UPC	MP	IP
66300	10 Piece 1/4" Drive 6PT SAE Deep Socket Set	802090663000	24	6
66400	10 Piece 1/4" Drive 6PT Metric Deep Socket Set	802090664007	24	6



Part #	Description	66002	66202	Part #	Description	66300	66400
66005	1/4" Drive 6PT Socket 5/32"	•		66305	1/4" Drive 6PT Deep Socket 5/32"	•	
66006	1/4" Drive 6PT Socket 3/16"	•		66306	1/4" Drive 6PT Deep Socket 3/16"	•	
66007	1/4" Drive 6PT Socket 7/32"	•		66307	1/4" Drive 6PT Deep Socket 7/32"	•	
66008	1/4" Drive 6PT Socket 1/4"	•		66308	1/4" Drive 6PT Deep Socket 1/4"	•	
66009	1/4" Drive 6PT Socket 9/32"	•		66309	1/4" Drive 6PT Deep Socket 9/32"	•	
66010	1/4" Drive 6PT Socket 5/16"	•		66310	1/4" Drive 6PT Deep Socket 5/16"	•	
66011	1/4" Drive 6PT Socket 11/32"	•		66311	1/4" Drive 6PT Deep Socket 11/32"	•	
66012	1/4" Drive 6PT Socket 3/8"	•		66312	1/4" Drive 6PT Deep Socket 3/8"	•	
66014	1/4" Drive 6PT Socket 7/16"	•		66314	1/4" Drive 6PT Deep Socket 7/16"	•	
66016	1/4" Drive 6PT Socket 1/2"	•		66316	1/4" Drive 6PT Deep Socket 1/2"	•	
66018	1/4" Drive 6PT Socket 9/16"	•		66318	1/4" Drive 6PT Deep Socket 9/16"	•	
66204	1/4" Drive 6PT Socket 4 mm	•		66404	1/4" Drive 6PT Deep Socket 4 mm	•	
66245	1/4" Drive 6PT Socket 4.5 mm	•		66405	1/4" Drive 6PT Deep Socket 5 mm	•	
66205	1/4" Drive 6PT Socket 5 mm	•		66406	1/4" Drive 6PT Deep Socket 6 mm	•	
66255	1/4" Drive 6PT Socket 5.5 mm	•		66407	1/4" Drive 6PT Deep Socket 7 mm	•	
66206	1/4" Drive 6PT Socket 6 mm	•		66408	1/4" Drive 6PT Deep Socket 8 mm	•	
66207	1/4" Drive 6PT Socket 7 mm	•		66409	1/4" Drive 6PT Deep Socket 9 mm	•	
66208	1/4" Drive 6PT Socket 8 mm	•		66410	1/4" Drive 6PT Deep Socket 10 mm	•	
66209	1/4" Drive 6PT Socket 9 mm	•		66411	1/4" Drive 6PT Deep Socket 11 mm	•	
66210	1/4" Drive 6PT Socket 10 mm	•		66412	1/4" Drive 6PT Deep Socket 12 mm	•	
66211	1/4" Drive 6PT Socket 11 mm	•		66413	1/4" Drive 6PT Deep Socket 13 mm	•	
66212	1/4" Drive 6PT Socket 12 mm	•		66414	1/4" Drive 6PT Deep Socket 14 mm	•	
66213	1/4" Drive 6PT Socket 13 mm	•					
66214	1/4" Drive 6PT Socket 14 mm	•					



Adjustable Wrenches

Precision worn gear and slide jaws for smooth adjustments and precise fit. Wrench features a corrosion-resistant satin chrome plated finish and drop forged, heat-treated carbon steel construction.

Part #	Description	Jaw Capacity	Length	UPC	MP	IP
12141	Adjustable Wrench 4"	9/16" (14 mm)	4" (101 mm)	802090121418	120	6
12142	Adjustable Wrench 6"	13/16" (20 mm)	6" (152 mm)	802090121425	96	6
12143	Adjustable Wrench 8"	1-1/16" (26 mm)	8" (203 mm)	802090121432	60	6
12144	Adjustable Wrench 10"	1-3/16" (30 mm)	10" (254 mm)	802090121449	36	6
12145	Adjustable Wrench 12"	1-9/16" (39 mm)	12" (304 mm)	802090121456	24	6



Large Adjustable Wrenches

Precision worn gear and slide jaws for smooth adjustments and precise fit. Wrench features a corrosion-resistant satin chrome plated finish and drop forged, heat-treated carbon steel construction.

Part #	Description	Jaw Capacity	Length	UPC	MP	IP
215	Adjustable Wrench 15"	1-7/8" (47 mm)	15" (381 mm)	802090002151	16	4
218	Adjustable Wrench 18"	2-1/4" (57 mm)	18" (457 mm)	802090002182	12	2
224	Adjustable Wrench 24"	2-1/2" (63 mm)	24" (609 mm)	802090002243	4	1



Auto Wrenches

Large capacity, smooth jaw, non-marring wrench. Constructed from forged steel with an I-beam handle and satin finish. Commonly used in applications such as hydraulic hose fittings, chrome accessories, or other surfaces where little or no surface damage is desired.

Part #	Length(in.)	Jaw Capacity	UPC	MP	IP
21319	9	1-3/4	802090213199	24	1
21321	11	3	802090213212	24	1
21325	15	3-1/2	802090213250	12	1



148 Piece Master Security Bit Set

Assortment of the most popular and hard-to-find bits for many different applications. Injection molded storage case. Contains Phillips, Slotted, Square, Star, Pozi, SAE Hex, Metric Hex, Tamper Resistant Star, Tamper Resistant Hex, Clutch, Spline, Spanner, Tri-wing and Quad-Wing drive bits. Includes 3-1/2 in. magnetic bit holder, quick-release bit holder and 1/4 in. driver socket adapter

Part #	UPC	MP	IP
16148	802090161483	12	1
Contents	(70) 25mm Bits	(13) 75mm Bits	(1) 60mm Bit Holder (Stainless)
	<ul style="list-style-type: none"> ⊖ 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.6, 7, 8mm ⊗ #00, #0, #1, #2, #2, #2, #3, #4 ⊗ #00, #0, #1, #2, #2, #2, #3, #4 ● 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8 mm ● 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" ⊕ T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 ⊖ M5, M6, M8 ■ 0, 1, 2, 3 	<ul style="list-style-type: none"> ⊗ #1, #2, #2, #2, #3 ■ 1, 2, 2, 2, 3; (2) ● 3/16", 1/4" ⊖ 1/4" 	(1) Quick Release #2 Bit Holder
	(13) 25mm Bits	(25) Security Bits	(1) 1/4" x 1/4" Socket Adapter
	<ul style="list-style-type: none"> ⊗ #2, #3; (3) ⊗ #1, #2, #3 ⊕ T10, T15, T20, T25, T27, T30, T40 ● 2 	<ul style="list-style-type: none"> ⊕ 6, 8, 10 ⊖ 4, 6, 8, 10 ⊕ 1, 2, 3, 4 ⊗ TX10, 15, 20, 25, 27, 30, 40, 45, 50 ⊕ T5H, T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T35H, T40H, T45H ● 2, 2.5, 3, 4, 5, 6 mm ● 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" ⊗ 1, 2, 3 	



Heat Gun

12.5 Amps 120V Heat Gun. Ideal for plastic welding shrink tubing and paint stripping. Dual temperature setting. 3 position rocker switch: off, high, & low. Durable ABS body. Double insulated. 6-1/2 ft. cord. Rated Power: Low Setting 750W, High Setting 1500W. Blowing Speed: Low Setting: 10CFM (280 L/min), High Setting: 17CFM (480 L/min). Temperature: Low Setting: 572 degrees, High Setting: 932 degrees.

Part #	UPC	MP	IP
22400	802090224003	10	1



Full Polish Combination Wrenches

Slim design with 15 degree offset box-end that allows for increased utility. Mirror polish chrome plated finish with chrome vanadium steel construction for strength and durability. Sizes are stamped for easy identification.

Part #	Size	UPC	MP	IP
60015	15	802090600159	72	12



Flexible Inspection Mirror 2-1/8" x 3" Oval

Length: 26-1/3 in. (670 mm). Plastic handle. Oval mirror: 2-1/8" x 3" (55 mm x 80 mm).

Part #	UPC	MP	IP
11668	802090116681	100	25